

high speed bearing skf table

Our company offers different high speed bearing skf, www.skf.com bearing, skf bearing units, skf mounted bearings at Wholesale Price? Here, you can get high quality and high efficient high speed bearing skf

High-speed W design bearings - SKF W design bearings are only available as hybrid (balls made of bearing grade silicon nitride), sealed and lubricated for life, angular contact ball bearings with an 18

Super-precision bearings - SKF For the permissible speed, operating temperature is an additional limit. Super-precision bearing arrangements in high-speed applications require bearings that Super-precision bearings | SKF With high running accuracy, high-speed performance and high system rigidity, SKF super-precision bearings are ideal for machine tools and other precision

@@@@@@@@								
	S	m	b	t	r	D	P	F
89324M	9 mm	-	-	-	-	-	-	-
K81124T	-	-	-	-	-	-	-	-
N								
294/1000	-	-	-	-	-	-	-	-
EF								
29452R	-	-	-	-	-	-	-	-
29484R	-	-	-	-	-	-	230 mm	-
NTH-3662	-	-	-	-	-	50.8000 mm	-	-
89417	-	-	-	-	-	-	-	-
81264	-	-	-	-	-	-	-	-
81112	-	-	-	-	-	125 mm	-	-
110TMP9	30.9 mm	-	-	-	-	-	-	-
3								
T208	-	-	-	-	-	-	-	-
T484	-	-	-	-	-	-	-	-
29372E	-	-	-	-	-	-	150 mm	-
29396-E1-	-	-	-	-	-	-	-	-
MB								
29438-E1	27.7 mm	-	-	-	-	-	-	-
81126-TV	-	-	-	-	-	-	-	-
K81240-M	-	-	-	-	-	-	-	-
29328-E1	-	-	-	-	-	-	-	-
293/530-E	17.4 mm	-	-	-	-	-	-	-
1-MB								
81228-M	-	-	-	-	-	72 mm	-	-
AXK1101	-	-	-	-	-	-	-	-

45								
AXK1528	-	-	-	-	-	-	-	-
292/560-E-MB	-	-	-	-	-	150.0000 mm	-	-
29352 M	-	-	-	-	-	-	-	-
RB 11015	-	-	-	-	-	-	-	-
353102 C	18.3 mm	-	-	-	-	-	-	-
ZR3.32.22	8 mm	-	-	-	-	-	-	-
40.400-1S PPN								
CRBH 9016.A	7 mm	-	-	-	-	-	-	-
CRB 80070	-	-	-	-	-	200 mm	-	-
RB 19025	-	-	-	-	-	100 mm	-	-
294/630 M	-	-	-	-	-	-	-	-
294/1060 M	15 mm	6 mm	-	-	-	62 mm	-	-
29484-EM	-	-	-	-	-	150.0000 mm	-	-
K 81213-T VPB	-	-	-	-	-	-	-	-
29426-EJ	-	-	-	-	-	-	-	-
24020EA W33	-	-	-	-	-	-	-	156 mm
22330EF8 00	-	-	-	-	-	-	-	-
29428E	-	-	-	-	-	-	-	-
22216EG 15KW33	6 mm	-	-	-	-	-	-	-
22312EG 15W33	-	-	-	-	-	100 mm	-	-
22340EM W33	12.7 mm	-	-	-	-	-	-	-
23236EM KW33	-	-	-	-	-	-	-	-
29328M	-	-	-	-	-	-	-	-
29413M	-	-	-	-	-	-	-	-
29418M	-	-	-	-	-	-	-	-
CRBS 508 V	-	-	-	-	-	-	-	-
CRB 8016	-	-	-	-	-	130 mm	-	-
CRBS 508 V UU	-	-	-	-	-	320.0000 mm	-	-
CRB	-	-	-	-	-	-	-	-

40035								
CRBF 5515 AT	-	-	-	-	-	-	-	-
CRB 60040	-	-	-	-	-	140.0000 mm	-	-
K81120T N	-	-	-	-	-	-	-	-
K81105T N	-	-	-	-	-	-	-	-
89310TN	-	-	-	-	-	-	-	-
K81234-M	-	-	-	-	-	-	-	-
K89440-M	-	-	-	-	-	-	-	-
K89309T N	-	-	-	-	-	-	-	-
89424-M	-	-	12.6 mm	-	-	-	-	-
81164-M	-	-	-	-	-	-	-	-
K81256-M	-	-	-	-	-	-	-	-
89460-M	-	-	-	-	-	100.0000 mm	-	-
81234-M	-	-	-	-	-	-	-	-
RT-732	-	-	-	-	-	150 mm	-	-
81108	33.3 mm	-	-	-	-	-	-	-
29448	-	-	-	-	-	-	-	-
K81117	7.5 mm	-	-	-	-	-	150 mm	-
24864K30	-	-	-	-	-	-	-	-
89420	19 mm	-	-	-	-	-	-	-
29376 M	-	-	-	-	-	-	-	-
K.81212L PB	-	-	-	-	-	-	-	-
T20020	17.5 mm	-	-	-	-	-	-	-
RTL32	-	-	-	2.2 mm	-	-	-	90 mm
AXK1730	-	-	-	-	-	24 mm	-	-
RTL33	-	-	-	-	-	-	-	-
294/600-E- MB	-	-	-	-	-	-	-	-
24022EA W33	-	-	-	-	-	-	-	-
22319EM KW33	-	-	-	-	-	-	-	-
22318EM KW33	-	6.5 mm	-	-	1.1	72 mm	-	-
22319EF8 00	-	-	-	-	-	-	-	-
22316EM KW33	-	-	-	-	-	-	-	-
22314EG	-	-	-	-	-	-	-	-

15KW33								
22232EA KW33	-	-	-	-	-	-	-	-
CRB 13025	-	-	-	-	-	-	-	-
CRBC 50040	-	-	-	-	-	-	-	-
CRB 20030	50 mm	-	-	-	-	-	-	-
CRBT 205 A	24.6 mm	-	-	-	-	-	-	-
CRBH 20025 A	-	-	-	-	-	-	-	-
81118TN	-	-	-	-	-	-	-	-

Bearings for high speed operations | Evolution Online - SKF Sep 15, 1994 - Machine tool spindles should run with minimal runout, at high speeds with low temperature rise and have a high stiffness. Rolling bearings for

High-speed E design bearings - SKF They can therefore accommodate very high speeds but do not have the same high load carrying capacity as D design bearings. Compared to B design bearings, E High-speed B design bearings - SKF 1) are designed for high-speed operation and are best suited for lighter loads and lower operating temperatures. When compared to E and D design bearings, B

@@@@@@@@				
SKF	IKO	FAG	NACHI	NSK
113060/113100C	FC12025S07	JM738249A/10	F634-2Z	6005
183152X/183222X H	FC40240S01	53177/53375	S6004-2Z	6204
232431X/232533X G	FC12402H100	3780/3730	F682X-2Z	63/22
124069X/124112X H	32014*2	07087/07196	F626-2RS	6206ZZ
119044X/119085G	25590/25519	683/672	6316	6314DD
184120/184190XC	25877/25820	31307	6202-2RS	6301DD
180101X/ 180180X	665A/653	32203	SF691	6217
164127X/164200X G	33215	T2ED070	S6200-2RS	6208DD
181118/181190G	539/532A	HM237535/10	SR1-4	63/32DD
126088X/126133X C	18790/18724	581/572	6005-2Z	6004ZZ
131090/131152XC	LM102949/LM102 910	LL205449/10	SFR3	6315ZZ
100035/100072G	6461/6420	59201/59412	SFR144-2Z	68206

133076X/133127G	4395/4335	78214C/78551	S16003-2Z	608UUG
80035/80068P	37425/37625	56425/56650	MF126-2Z	BR2870AHL1DDC X26
180100/180180G	33012F	28150/28315	SMR31	6200UU
160098X/160152X H	F15063	LM102949/10	61906	6209ZZ
281155X/281254X	14137A/14274	32908	6306-2RS	6305ZZ
184120/184200H	F15165	5395/5335	16013-2Z	6210
181115/181190XH	M88043/M88011	H239649/12	6409	6904ZZ
204190/204266XC	598/593X	45291/45221	S6204-2RS	6313NR
131092X/131158X P	66589/66520	28990/28920	SMF148-2Z	6015ZZ
130069X/130120H	30208F	HR30207J	SMF62-2Z	6314
105115/105165P	09081/09195	WTF290KVS4001 Eg	MF105-2Z	6310NR
32018X	F15160	20219	S626-2Z	609
LM104949/JLM10 4910	3577/3525	24048 K30CW33+ AH24048	P6000-SB	6312
320/32X	JF4549/JF4510	23288 KCW33+H3288	604-2Z	UC312
15103S/243	L44649/L44610	241/560W33	6311-2RS	6302ZZ
32008X	15118/15250	240/560 K30W33	S608/26	6301Z
HM212049/10	53178/53377	24128 K30W33	UCX20	6315
14137A/276	32212F	24168 K30W33	SA207-20F	6414
M84548/10	387AS/382S	22352W33	UC305	6204ZZ
33208	HM801346/HM801 310	241/710 K30W33	NA215-48	6213N
387AS/2A	LM603049/LM603 011	23248W33	NA210-31	6218
EE435102/435165	LM330448/LM330 410	22260 KCW33+H3160	SA206-18	16022
4T-72225C/72487	HM911245/HM911 210	23960CAE4	SA205-16F	625ZZ
4T-HH224335/HH 224310	4T-T7FC045	22248CAKE4	SA205-14	6200Z
32219U	4T-33287/33462	23022CDE4	UC311-35	6314Z
238/1000 CAKMA/W20	4T-15117/15245	TL23240CAKE4	UC207-22	627
ST5793LFT	H239649NA/H239 612CD	22217L12CAM	ER208-25	6205
32256	4T-537/532X	S607	ER211-35	6007NR
30326JR	4T-1280/1220	F61703	6207	625Z
3378/3329	CRD-7015	SR8-2Z	XLJ 11.1/2	F-W683ZZ
303/32CR	4T-395CS/394CS	SF689	LJ 1.5/8	6306ZZNR
30264	EE655270/655345 G2	16014-2RS	61932	6203LLU/15875

M88048/10	CRI-6817	F696A-RS	6009	6828
32010	CRD-3016	F607-2Z	F18038	UCS207LD1N
594A/592XE	T-96925/96140	6017-2Z	6201	6307ZZNR
93825/93125	32319	61808	6310-2RS	W 623 R
44143/44348	32936X	61814-2RS	6218	BB1-3040A
HM212046/11	CRD-9609	6300-2Z	62206-2RS C3	61806-2RS1
15113/15245	M274149D/M2741 10G2+A	S61804-2Z	B17-92D	BB1-3160
HM215249/10	4T-32307	4202-2RS	PC30520022CS	6200-2ZNR
15101/15250	4T-53162/53375	RLS10	6212-2RS C3	E2.YAR206-103-2 F
HR30232J	4T-460/453X	S6306-2RS	6205-2RS C3	634-Z
120KBE31+L	CRO-14209LL	SR8-2RS	B20-122D	6013-2RS
25880/25821	4T-09062/09195	S679	6901-2RS C3	6213Z
LM522548/LM522 510	LL 639249/210	693-2Z	PC40570024/20C S	6901Z
438/432B	32938	MF128-2Z	98305 C3	DG3572W-3RSCS 27
482/472	BT2B 332447	S1620-2Z	638-2RS C3	R0ZZ
598/592DC+X1S-5 98	BT1B328251/Q	S61928	PC35620021CS	6330
3199/3120	31311J2/QDF	61701	PC32520020/18C S	MF104B
31317	331999	SMF52-2Z	R-930ZZY04	16060
3190/3120-B	332068	16019-2Z	RI-6632	BL 216 ZZ
6460/6420A	32216 J2/Q	F61805-2Z	RF-1950ZZ	BL 306 ZZ
33217	BT1-0382/Q	MF84	R-1240KK1	B45-108
LM451345/LM451 310CD+LM451345 XA	4580/2/4535/2/Q	F61804-2RS	L-1910ZZ	B57Z-8
2984/2924B	332171	1607-2RS	R-1140	605 DD
LM814849/LM814 810	30303 J2	S608/24-2RS	RF-1960ZZ	6009T1X
NP559445/NP945 727	47260	S697-2Z	RIF-3	246W
942/932CD+X1S-6 4433	55197/55437	R16	LF-740ZZ	202KRR3
367/363D+X3S-36 7	5552R/5535	6303-2RS	RI-21/2	RA010RRB
375-S/372A	33209JR	SFR166	RF-615ZZ	E55KRR
18685/18620	HM88644/HM8861 2	MR117-2Z	RI-814ZZ	207KRR
28137/28318D+X1 S-28138	28159/28317	SRLS12-2RS	RIF-5ZZ	1008KRR
M241549/M24151 0CD+M241549XA	37280	RLS4	RF-515ZZ	RA202RR

9386H/9321	25582/25520	S1623-2Z	R-725	6219ZNR
17119/17244B	46T30219JR/63	SMF95	LF-740	6301NSE
3479/3420-B	542/532X	SMR93X-2Z	L-310	UC309
594A/592D+X2S-594	664/652A	SF684-2Z	R-2DD	63/28-2NSE
484/472A	2585/2520	SMF62	R-620ZZ	6208NSE
E32908J	864XR/854	SMR74	R-2	6918
857/854	28118/28317	S61816-2RS	LJ1-RS	6320NK
E33115J	M246943/M246910	6211-2RS	LJ1.5/8-Z	6801-2NKE
760/752	LL481448/11	6004-2Z.T9H.C3	LJ2-2Z	6314ZE
32308-A	HM237532/10	P6306-GB	KLNJ3/8-RS	-
KL68149-L68111	L44642/10	SMF74-2Z	LJ1-Z	-
-	32314	62208-2RS	MJ1.5/8-N	-
-	3580/3525	16015	MJ3/4-2Z	-
-	-	SF61804-2Z	KLNJ1.1/4	-
-	-	6024	LJ6.1/2	-
-	-	-	MJ7/8	-
-	-	-	XLJ7	-
-	-	-	MJ1.3/8-RS	-

High temperature bearings and bearing units | SKF Single row deep groove ball bearings for high temperature applications dimensions, Basic load ratings, Limiting speed, Limiting temperature, Designation High-speed B design bearings - SKF SKF is a big international company!

Super-precision bearings - SKF Machine tools and other precision applications require superior bearing performance. Extended speed capability, a high degree of running accuracy, high New bearings for high-speed applications - SKF Evolution Apr 13, 2018 - Single-row angular contact ball bearings are typically used in applications such as screw, scroll or centrifugal compressors (fig. 1) and pumps